

New Holland TG Tractor Specifications



TG210 TG230 TG255 TG285

MODEL	TG210	TG230	TG255	TG285
Engine				
Type	Turbocharged, air-to-air intercooled, 8.3-liter (505 cu. in.)	Turbocharged, air-to-air intercooled, 8.3-liter (505 cu. in.)	Turbocharged, air-to-air intercooled, 8.3-liter (505 cu. in.)	Turbocharged, air-to-air intercooled, 8.3-liter (505 cu. in.)
Number of Cylinders	6	6	6	6
PTO horsepower (kW)	170 (126)	190 (141)	215 (160)	240 (179)
Rated speed (RPM)	2200	2200	2200	2200
PTO torque rise	50%	51%	54%	56%
PTO power rise (hp)	20	20	22	30
Fuel tank capacity, U.S. gal (L)	130 (492) standard 160 (605) optional	130 (492) standard 160 (605) optional	160 (605)	160 (605)
TRANSMISSION	Programmable 18 x4 full powershift (6x2 Creeper Optional)			
INDEPENDENT PTO	Wet multi-plate, 1000-rpm (540/1000 optional), electro-hydraulic engagement			
HYDRAULICS TYPE	Closed center, load sensing, variable-displacement piston pump			
Standard high pressure oil available, gpm (l/m)	38.6 (146)	38.6 (146)	38.6 (146)	38.6 (146)
Optional MegaFlow high pressure oil available, gpm (l/m)	68 (257)	68 (257)	68 (257)	68 (257)
Rear remotes	3 standard, 5 optional	3 standard, 5 optional	3 standard, 5 optional	3 standard, 5 optional
3-POINT HITCH				
Type	Cat III/IIIN	Cat III/IIIN	Cat III/IIIN	Cat III/IIIN
Standard lift capacity, lbs. (kg)	13,960 (6332)	13,960 (6332)	14,970 (6789)	15,970 (7301)
Optional lift capacity, lbs. (kg)	15,970 (7301)	15,970 (7301)	17,920 (8138)	17,920 (8138)
SHIPPING WEIGHT (lbs)	23,500	26,500	29,500	31,500

*All numbers are manufacturer's estimates

Visit our website at www.newholland.com/na Or, call toll-free: 1-888-290-7377

Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas.



Safety begins with a thorough understanding of the equipment. Always make sure you and your operators read the Operator's Manual before using the equipment. Pay close attention to all safety and operating decals and never operate machinery without all shields, protective devices and structures in place.